



Γεώργιος Σουρβίνος

Καθηγητής Κλινικής Ιολογίας

E-mail: sourvino@med.uoc.gr

Τηλ: +30 2810 394 835

Φαξ: +30 2810 394 571

Ακαδημαϊκή-Ερευνητική Δραστηριότητα

2015-σήμερα: Καθηγητής Κλινικής Ιολογίας, Τμήμα Ιατρικής, Παν/μιο Κρήτης.

Διευθυντής Εργαστηρίου Κλινικής Ιολογίας, ΠΑΓΝΗ.

2011-2015: Αναπληρωτής Καθηγητής Κλινικής Ιολογίας, Τμήμα Ιατρικής, Παν/μιο Κρήτης.

2010: Εκπαιδευτική άδεια, Tufts Medical Center, Boston, USA.

2007-2011: Μόνιμος Επίκουρος Καθηγητής Κλινικής Ιολογίας, Τμήμα Ιατρικής, Παν/μιο Κρήτης.

2004-2007: Επίκουρος Καθηγητής Κλινικής Ιολογίας, Τμήμα Ιατρικής, Παν/μιο Κρήτης.

2003- 2004: Μετα-διδακτορικός Ερευνητής, Υπότροφος της Wellcome Trust, Institute of Cell and Molecular Biology, University of Edinburgh, Edinburgh, UK.

2001- 2003: Μετα-διδακτορικός Ερευνητής, Υπότροφος του Medical Research Council και Marie Curie, Institute of Virology, Glasgow, UK.

Αντικείμενο Έρευνας


-Μηχανισμοί ρύθμισης της έκφρασης γονιδίων των ιών Herpes Simplex Virus type-1 (HSV-1) και Human Cytomegalovirus (HCMV) κατά τη διάρκεια ενεργούς και λανθάνουσας μόλυνσης

-Ο ρόλος των Rho GTPase πρωτεΐνων κατά τη διάρκεια μόλυνσης από τον ιό HCMV

-Σηματοδοτικά μονοπάτια που ενεργοποιούνται κατά τη διάρκεια μόλυνσης από τον ιό HSV-1.

-Επιγενετική ρύθμιση του ιού HCMV

-Ενεργοποίηση φλεγμονωδών και επιγενετικών μονοπατιών από τον ιό HCMV μέσω κυτταρικών miRNAs.



Αντιπροσωπευτικές Δημοσιεύσεις

1. Goulidaki N, Alarifi S, Alkahtani SH, Al-Qahtani A, Spandidos DA, Stournaras C, **SOURVINOS G.** RhoB is a component of the human cytomegalovirus assembly complex and is required for efficient viral production. *Cell Cycle*, 14: 2748-2763, 2015.
2. V.M. Vlahava, A.G. Eliopoulos, **G. SOURVINOS.** CD40 ligand exhibits a direct antiviral effect on Herpes Simplex Virus type-1 infection via a PI3K-dependent, autophagy-independent mechanism. *Cellular Signalling*, 27: 1253-1263, 2015.
3. **G. SOURVINOS**, A.Morou, I. Sanidas, I. Codruta, S.A. Ezell, C. Doxaki, S.C. Kampranis, F. Kottakis and P.N. Tsichlis. The downregulation of GFI1 by the EZH2-NDY1/KDM2B-JARID2 axis and by human cytomegalovirus (HCMV) associated factors allows the activation of the HCMV major IE promoter and the transition to productive infection. *PLoS Pathogens*, 10(5):e1004136, 2014.
4. Lasithiotaki I, Antoniou KM, Derdas SP, Sarchianaki E, Symvoulakis EK, Psarakis A, Spandidos DA, Stathopoulos EN, Siafakas NM, **SOURVINOS G.** The presence of Merkel cell polyomavirus is associated with deregulated expression of BRAF and Bcl-2 genes in non-small cell lung cancer. *International Journal of Cancer*, 133: 604-611 2013.
5. S.A. Ezell, C. Polytarchou, M. Hatziapostolou, A. Guo, I. Sanidas, T. Bihani, M.J. Comb, **G. SOURVINOS**, P.N. Tsichlis. Akt1 regulates the interferon response and viral replication through phosphorylation of the transcriptional repressor EMSY. *Proc Natl Acad Sci USA*, 109: E613-21, 2012.
6. Lasithiotaki I, Antoniou KM, Vlahava VM, Karagiannis K, Spandidos DA, Siafakas NM, **SOURVINOS G.** Detection of herpes simplex virus type-1 in patients with fibrotic lung diseases. *PLoS One*, 6:e27800, 2011.
7. C. Filippakis, P. Dimitropoulou, A.G. Eliopoulos, D.A Spandidos, **G. SOURVINOS.** The enhanced host-cell permissiveness of Human Cytomegalovirus is mediated by the Ras signalling pathway. *Biochimica et Biophysica Acta-Molecular Cell Research*, 1813: 1872-1882, 2011.
8. G. Dimitropoulou, R. Caswell, B.P. McSharry, R.F. Greaves, G.W. Wilkinson, D.A. Spandidos, **G SOURVINOS.** Differential relocation and stability of PML-body components during productive Human Cytomegalovirus infection; Detailed characterization by live cell imaging. *European Journal of Cell Biology*, 89: 757-768, 2010.
9. **G SOURVINOS**, N Tavalai, A Berndt, D.A. Spandidos and Thomas Stamminger. Recruitment of human cytomegalovirus immediate early 2 protein IE86 onto parental viral genomes in association with ND10 in live infected cells. *Journal of Virology*, 81: 101123-10136, 2007.
10. Everett RD, **SOURVINOS G**, Leiper C, Clements JB and Orr A. Formation of nuclear foci of the herpes simplex virus type 1 regulatory protein ICP4 at early times of infection: localization, dynamics, recruitment of ICP27, and evidence for the de novo induction of ND10-like complexes. *Journal of Virology*, 78: 1903-1917, 2004.

11. Everett RD, **SOURVINOS G** and Orr A. Recruitment of HSV-1 transcriptional regulatory protein ICP4 into foci juxtaposed to ND10 and containing parental viral genomes in live infected cells. *Journal of Virology*, 77: 3680-3689, 2003.
12. **SOURVINOS G** and Everett RD. Visualization of parental HSV-1 genomes and replication compartments in association with ND10 in live infected cells. *EMBO J*, 21: 4989-4997, 2002.
13. Winter AG, **SOURVINOS G**, Allison SJ, Tosh K, Scott PH, Spandidos DA and White, R. J. RNA polymerase III transcription factor TFIIIC2 is overexpressed in ovarian tumours. *Proc Natl Acad Sci USA*, 97:12619-12624, 2000.
14. **G. SOURVINOS**, C Tsatsanis and DA Spandidos. Overexpression of the *Tpl-2/Cot* oncogene in human breast cancer. *Oncogene*, 18: 4968-4973, 1999.
15. **G. SOURVINOS** and D.A Spandidos. Decreased expression of *BRCA1* may arrest the cell cycle through *p53* checkpoint in human sporadic breast cancer. *Biochemical and Biophysical Research Communications*, 245: 75-80, 1998.