



Γιώργος Λιαπάκης Επικ. Καθηγητής Φαρμακολογίας

Email: liapakis@med.uoc.gr

Τηλ. +30 2810-394525


Φαξ: +30 2810-394530

Ακαδημαϊκή-Ερευνητική Δραστηριότητα

- 2000-: Επίκουρος Καθηγητής Φαρμακολογίας, Τμήμα Ιατρικής, Παν/μιο Κρήτης
- 1997-2000: Μεταδιδακτορικός Ερευνητής, Center for Molecular Recognition, Columbia University, New York, USA
- 1994-1997: Μεταδιδακτορικός Ερευνητής, University of Pennsylvania, School of Medicine, Dept of Pharmacology, Philadelphia, USA
- 1989-1994: Διδακτορικό Δίπλωμα Φαρμακολογίας, Τμήμα Ιατρικής, Παν/μιο Κρήτης
- 1986: Πτυχίο Φαρμακευτικής Σχολής, Αριστοτέλειο Παν/μιο Θεσ/νίκης

Αντικείμενο Έρευνας

Προσδιορισμός της δομής και λειτουργίας των υποδοχέων που συνδέονται με τις G-πρωτεΐνες (G-protein coupled receptors, or GPCRs), και συγκεκριμένα του β 2-αδρενεργικού υποδοχέα και του υποδοχέα του εκλυτικού παράγοντα της κορτικοτροπίνης



Αντιπροσωπευτικές Δημοσιεύσεις

1. Gkountelias K, Tselios T, Venihaki M, Deraos M, Lazaridis I, Rassouli O, Gravanis A, and Liapakis G (2009). Alanine scanning mutagenesis of the second extracellular loop of type 1 corticotropin releasing factor receptor revealed residues critical for peptide binding. *Mol. Pharmacol.*, 75:793–800.

2. Venihaki M, Sakihara S, Subramanian S, Dikkes P, Weninger SC, Liapakis G, Graf T, Majzoub JA (2004). Urocortin III, a brain neuropeptide of the corticotropin-releasing hormone family: modulation by stress and attenuation of some anxiety-like behaviors. *J Neuroendocrinol.*, 16(5): 411-422.
3. Liapakis G., Chan W.C., Papadokostaki M. and Javitch J.A. (2004). Synergistic Contributions of the Functional Groups of Epinephrine to its Affinity and Efficacy at the β 2 Adrenergic Receptor. *Mol Pharmacol.* 2004, 65(5): 1181-1190
4. Shi L, Liapakis G, Xu R, Guarnieri F, Ballesteros JA, Javitch JA. (2002). [S.L. and L.G. equally contributed to this work]. Beta2 adrenergic receptor activation. Modulation of the proline kink in transmembrane 6 by a rotamer toggle switch. *J Biol Chem.*, 277(43): 40989-40996
5. Javitch J.A., Shi L. and Liapakis G (2002). Use of the substituted cysteine accessibility method to study the structure and function of G protein-coupled receptors. *Methods Enzymol.* 2002;343:137-56.
6. Ballesteros J.A., Jensen A.D., Liapakis G., Rasmussen S.G.F., Shi L., Gether U., and Javitch J.A. (2001). [B.J.A., J. A.D., L.G., and R.S.G.F contributed equally to this work]. Activation of the beta2 adrenergic receptor involves disruption of an ionic lock between the cytoplasmic ends of transmembrane segments 3 and 6 . *J Biol Chem.*, 276(31):29171-29177.
7. Liapakis G., Ballesteros J.A., Papachristou S., Chan W.C., Chen X., and Javitch J.A. (2000) The Forgotten Serine: A critical role for Ser 203(5.42) in ligand binding to and activation of the beta2 adrenergic receptor. *J Biol Chem.*, 275(48): 37779-37788.